



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

NEWTON

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:**020702**WELL TYPE

Private Well

DRILL DATE: 1961/08/30TOWNSHIP

24N

RANGE

29W

SECTION

28

ELEVATION: 1,340FTDRILL DEPTH: 153FTUTM XUTM YDEPTH TO BED: 40FT

404,412.80

4,069,121.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 41**LOG ID:****006028**WELL TYPE

Private Well

DRILL DATE: 1940/04/00TOWNSHIP

24N

RANGE

29W

SECTION

31

ELEVATION: 1,300FTDRILL DEPTH: 320FTUTM XUTM YDEPTH TO BED: 50FT

401,393.78

4,069,047.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 100**LOG ID:****020701**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1962/05/12TOWNSHIP

24N

RANGE

29W

SECTION

32

ELEVATION: 1,298FTDRILL DEPTH: 150FTUTM XUTM YDEPTH TO BED: 30FT

402,925.81

4,067,618.30

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ROCKY COMFORTS.W.L. (AFTER CASING): 26**LOG ID:****019577**WELL TYPE

Private Well

DRILL DATE: 1960/06/TOWNSHIP

24N

RANGE

29W

SECTION

8

ELEVATION: 1,274FTDRILL DEPTH: 201FTUTM XUTM YDEPTH TO BED: 30FT

403,033.71

4,075,454.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: IN FAIRVIEW ON HWY 86S.W.L. (AFTER CASING): 80



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020436**WELL TYPE

Private Well

DRILL DATE: 1961/00/00TOWNSHIPRANGESECTIONELEVATION:

1,280FT

DRILL DEPTH: 185FT

24N

29W

8

DEPTH TO BED: 20FTUTM XUTM Y

403,033.71

4,074,846.28

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 70**LOG ID:****020438**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961/07/00TOWNSHIPRANGESECTIONELEVATION:

1,284FT

DRILL DEPTH: 220FT

24N

29W

8

DEPTH TO BED: 35FTUTM XUTM Y

402,733.71

4,075,353.28

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: IN FAIRVIEWS.W.L. (AFTER CASING): 75**LOG ID:****025652**WELL TYPE

Community Public Well

DRILL DATE: 1967/10/31TOWNSHIPRANGESECTIONELEVATION:

1,294FT

DRILL DEPTH: 1,070FT

24N

29W

8

DEPTH TO BED: 55FTUTM XUTM Y

402,759.71

4,075,206.28

ZONE 15

S.W.L. (BEFORE CASING): 40 FTREMARKS: "SHORT CK" IN RESIDUUMS.W.L. (AFTER CASING): 130 FT**LOG ID:****015637**WELL TYPE

Private Well

DRILL DATE: 1956/11/14TOWNSHIPRANGESECTIONELEVATION:

1,291FT

DRILL DEPTH: 460FT

24N

30W

24

DEPTH TO BED: 45FTUTM XUTM Y

400,017.75

4,070,997.34

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI W & 3 MI S OF FAIRVIEWS.W.L. (AFTER CASING): 135



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008688**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1945/01/00TOWNSHIPRANGESECTIONELEVATION:

1,150FT

DRILL DEPTH: 910FT

24N

30W

32

DEPTH TO BED: 20FTUTM XUTM Y

393,842.75

4,069,141.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: YIELD - 2 G/HOUR - FLOWEDS.W.L. (AFTER CASING):**LOG ID:****018554**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1959/11/10TOWNSHIPRANGESECTIONELEVATION:

1,160FT

DRILL DEPTH: 312FT

24N

30W

32

DEPTH TO BED: 35FTUTM XUTM Y

393,442.74

4,069,343.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "LOST & PLUGGED"; TD @ 300' & 312'; CASSED TO 312';
CONFUSINGS.W.L. (AFTER CASING):**LOG ID:****018712**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1959/12/24TOWNSHIPRANGESECTIONELEVATION:

1,160FT

DRILL DEPTH: 909FT

24N

30W

32

DEPTH TO BED: 35FTUTM XUTM Y

393,442.74

4,069,343.47

ZONE 15

S.W.L. (BEFORE CASING): 11 FTREMARKS: "LOST BIT @ TD, DID NOT RECOVER"; HWY F, STELLAS.W.L. (AFTER CASING): 12 FT**LOG ID:****025159**WELL TYPE

Community Public Well

DRILL DATE: 1967/09/00TOWNSHIPRANGESECTIONELEVATION:

1,205FT

DRILL DEPTH: 990FT

24N

30W

32

DEPTH TO BED: 45FTUTM XUTM Y

394,049.74

4,069,364.46

ZONE 15

S.W.L. (BEFORE CASING): 91 FTREMARKS:S.W.L. (AFTER CASING): 90 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007135**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1941/07/29TOWNSHIP RANGE SECTION

24N

30W

4

ELEVATION: 1,139FTDRILL DEPTH: 137FTUTM X UTM YDEPTH TO BED: 10FT394,808.65 4,076,883.42
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #7 DR. ROY E. MEYERSS.W.L. (AFTER CASING):**LOG ID:****005343**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1939/00/00TOWNSHIP RANGE SECTION

24N

30W

6

ELEVATION: 1,172FTDRILL DEPTH: 170FTUTM X UTM YDEPTH TO BED:392,915.65 4,076,491.45
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "LEACHED" BURLINGTON-KEOKUK LIMESTONESS.W.L. (AFTER CASING):**LOG ID:****011061**WELL TYPE

Private Well

DRILL DATE: 1947/00/00TOWNSHIP RANGE SECTION

24N

31W

10

ELEVATION: 1,155FTDRILL DEPTH: 130FTUTM X UTM YDEPTH TO BED: 75FT388,175.65 4,074,897.54
ZONE 15S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPEMED 75-130'; NO PRODUCTION & LITTLE
CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****020439**WELL TYPE

Private Well

DRILL DATE: 1961/02/00TOWNSHIP RANGE SECTION

24N

31W

11

ELEVATION: 1,224FTDRILL DEPTH: 250FTUTM X UTM YDEPTH TO BED: 55FT389,774.65 4,075,713.51
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION DATAS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004777**WELL TYPE

Private Well

DRILL DATE: 1938/05/00TOWNSHIPRANGESECTIONELEVATION:

1,130FT

DRILL DEPTH: 90FT

24N

31W

14

DEPTH TO BED: 25FTUTM XUTM Y

388,290.66

4,074,114.54

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Mrs. A.H. GreenS.W.L. (AFTER CASING):**LOG ID:****007885**WELL TYPE

Private Well

DRILL DATE: 1941/09/00TOWNSHIPRANGESECTIONELEVATION:

1,232FT

DRILL DEPTH: 360FT

24N

31W

2

DEPTH TO BED: 40FTUTM XUTM Y

389,736.64

4,076,414.51

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 47**LOG ID:****009565**WELL TYPE

Private Well

DRILL DATE: 1946/09/16TOWNSHIPRANGESECTIONELEVATION:

1,260FT

DRILL DEPTH: 240FT

24N

31W

2

DEPTH TO BED: 100FTUTM XUTM Y

389,436.63

4,077,135.51

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: FRACTIONAL SECTION - W2/E2/LOT 2S.W.L. (AFTER CASING):**LOG ID:****002993**WELL TYPE

Community Public Well

DRILL DATE: 1934/09/00TOWNSHIPRANGESECTIONELEVATION:

1,105FT

DRILL DEPTH: 330FT

24N

31W

23

DEPTH TO BED: 20FTUTM XUTM Y

388,611.68

4,072,807.55

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006935**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1940/07/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,244FT
<u>DRILL DEPTH:</u>	208FT	24N	31W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				390,647.74	4,068,299.53
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	65					
<u>REMARKS:</u>	formerly in name of H.E. Brooks - @ STELLA					

LOG ID:**001920**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1914/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,260FT
<u>DRILL DEPTH:</u>	301FT	24N	32W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				379,414.68	4,075,459.49
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u>						

LOG ID:**003385**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1935/06/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,192FT
<u>DRILL DEPTH:</u>	170FT	24N	32W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	155FT				373,700.76	4,069,609.48
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA; NO SAMPLES 0-155'					

LOG ID:**019259**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1960/09/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,202FT
<u>DRILL DEPTH:</u>	1,450FT	24N	32W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				375,789.67	4,077,575.47
<u>S.W.L. (BEFORE CASING):</u>	45	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	190	FT				
<u>REMARKS:</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011083**WELL TYPE

Private Well

DRILL DATE: 1947/09/18TOWNSHIP RANGE SECTION

24N

32W

7

ELEVATION: 1,189FTDRILL DEPTH: 206FTUTM X UTM YDEPTH TO BED: 55FT373,525.69 4,075,942.47
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 2 MI S & 1.25 MI W OF NEOSHOS.W.L. (AFTER CASING):**LOG ID:****007796**WELL TYPE

Private Well

DRILL DATE: 1942/04/00TOWNSHIP RANGE SECTION

24N

32W

8

ELEVATION: 1,238FTDRILL DEPTH: 1,118FTUTM X UTM YDEPTH TO BED: 200FT375,506.69 4,075,629.48
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 4 MI S OF NEOSHO, OPPOSITE CAMP CROWDERS.W.L. (AFTER CASING): 225**LOG ID:****006997**WELL TYPE

Private Well

DRILL DATE: 1941/05/00TOWNSHIP RANGE SECTION

24N

33W

25

ELEVATION: 1,206FTDRILL DEPTH: 400FTUTM X UTM YDEPTH TO BED: 20FT371,158.75 4,070,988.46
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****011006**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1947/08/23TOWNSHIP RANGE SECTION

24N

34W

28

ELEVATION: 1,020FTDRILL DEPTH: 198FTUTM X UTM YDEPTH TO BED: 25FT357,634.64 4,072,427.54
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 3.5 MI S, 1 MI E OF SENECA; YIELD - 1.5 GPMS.W.L. (AFTER CASING): 38



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021712**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,038FT
		24N	34W	33		
<u>DRILL DEPTH:</u>	515FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				357,544.64	4,071,631.54
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> 4 MI S OF SENECA ON HWY 43, 0.25 MI E ON HWY DD			
<u>S.W.L. (AFTER CASING):</u>	150					

LOG ID:**003056**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1920/04/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,025FT
		24N	34W	34		
<u>DRILL DEPTH:</u>	355FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				359,050.66	4,071,435.52
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u> MASON SPRING VALLEY S OF SENECA			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**009729**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1947/10/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	846FT
		24N	34W	9		
<u>DRILL DEPTH:</u>	1,260FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				356,760.63	4,077,540.56
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> 0.5 MI W OF JCT HWYS 43 & 60, SENECA			
<u>S.W.L. (AFTER CASING):</u>	69					

LOG ID:**027346**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	975FT
		24N	34W	9		
<u>DRILL DEPTH:</u>	1,455FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				357,362.64	4,078,101.55
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	102	FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	67	FT				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003634**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1936/06/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,200FT
<u>DRILL DEPTH:</u>	138FT	25N	29W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				403,768.60	4,084,054.24
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	85	<u>REMARKS:</u>	NO PRODUCTION DATA			

LOG ID:**004075**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936/07/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,215FT
<u>DRILL DEPTH:</u>	142FT	25N	29W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				404,414.61	4,082,968.23
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>	75					

LOG ID:**006612**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1940/07/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,217FT
<u>DRILL DEPTH:</u>	70FT	25N	29W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					398,853.61	4,081,820.33
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**011063**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1947/01/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,230FT
<u>DRILL DEPTH:</u>	215FT	25N	29W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				398,365.65	4,077,881.35
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>	45					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019653**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,277FT

DRILL DEPTH:

390FT

25N

29W

34

DEPTH TO BED:

30FT

UTM XUTM Y

402,995.67

4,078,185.27

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

1.5 MI N OF FAIRVIEW

S.W.L. (AFTER CASING):**LOG ID:****028210**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,210FT

DRILL DEPTH:

1,400FT

25N

30W

13

DEPTH TO BED:

25FT

UTM XUTM Y

396,236.58

4,082,883.37

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

TOTAL DEPTH 1400'; SAMPLES BELOW 205' NOT PROCESSED.

S.W.L. (AFTER CASING):**LOG ID:****004937**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1938/07/00

TOWNSHIPRANGESECTIONELEVATION:

1,217FT

DRILL DEPTH:

220FT

25N

30W

15

DEPTH TO BED:

70FT

UTM XUTM Y

393,503.57

4,082,785.42

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

0.75 MI NW OF NEWTIONIA; HOLE #9

S.W.L. (AFTER CASING):**LOG ID:****009461**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1947/02/00

TOWNSHIPRANGESECTIONELEVATION:

1,235FT

DRILL DEPTH:

230FT

25N

30W

17

DEPTH TO BED:

190FT

UTM XUTM Y

390,465.56

4,083,112.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028945**WELL TYPE

Noncommunity Public Well

DRILL DATE: 2002/08/ TOWNSHIP 25N RANGE 30W SECTION 17 ELEVATION: 1,250FT
DRILL DEPTH: 930FT UTM X 390,365.57 UTM Y 4,082,196.48
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**001682**WELL TYPE

Private Well

DRILL DATE: 1913/08/00 TOWNSHIP 25N RANGE 30W SECTION 18 ELEVATION: 1,210FT
DRILL DEPTH: 306FT UTM X 387,554.57 UTM Y 4,082,249.50
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "CAN'T LOCATE"
S.W.L. (AFTER CASING):

LOG ID:**009561**WELL TYPE

Private Well

DRILL DATE: 1946/09/28 TOWNSHIP 25N RANGE 30W SECTION 18 ELEVATION: 1,205FT
DRILL DEPTH: 300FT UTM X 388,254.55 UTM Y 4,083,579.50
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI S OF GRANBY
S.W.L. (AFTER CASING): 35

LOG ID:**008012**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/00/00 TOWNSHIP 25N RANGE 30W SECTION 19 ELEVATION: 1,232FT
DRILL DEPTH: 276FT UTM X 387,993.58 UTM Y 4,080,542.51
DEPTH TO BED: 27FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: CLARK #F2
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011062**WELL TYPE

Private Well

DRILL DATE: 1947/02/20TOWNSHIPRANGESECTIONELEVATION:

1,249FT

DRILL DEPTH: 240FT

25N

30W

20

DEPTH TO BED: 20FTUTM XUTM Y

389,609.57

4,081,905.49

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 40**LOG ID:****019633**WELL TYPE

Private Well

DRILL DATE: 1960/11/00TOWNSHIPRANGESECTIONELEVATION:

1,275FT

DRILL DEPTH: 425FT

25N

30W

21

DEPTH TO BED: 35FTUTM XUTM Y

391,627.60

4,080,421.46

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI W OF STARK CITYS.W.L. (AFTER CASING): 70**LOG ID:****024853**WELL TYPE

Community Public Well

DRILL DATE: 1967/02/00TOWNSHIPRANGESECTIONELEVATION:

1,223FT

DRILL DEPTH: 1,400FT

25N

30W

23

DEPTH TO BED: 20FTUTM XUTM Y

394,973.60

4,081,036.40

ZONE 15

S.W.L. (BEFORE CASING): 90 FTREMARKS: NEWTONIA - STARK CITYS.W.L. (AFTER CASING): 120 FT**LOG ID:****019606**WELL TYPE

Private Well

DRILL DATE: 1960/12/00TOWNSHIPRANGESECTIONELEVATION:

1,224FT

DRILL DEPTH: 295FT

25N

30W

25

DEPTH TO BED: 15FTUTM XUTM Y

396,318.63

4,079,049.38

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI E, 0.75 MI S, & 0.5 MI E OF STARK CITYS.W.L. (AFTER CASING): 100



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005883**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1940/00/00TOWNSHIPRANGESECTIONELEVATION:

1,225FT

DRILL DEPTH: 250FT

25N

30W

26

DEPTH TO BED: 15FTUTM XUTM Y

394,299.62

4,079,616.42

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LABELED "PROSPECT HOLE"S.W.L. (AFTER CASING): 35**LOG ID:****005884**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1940/00/00TOWNSHIPRANGESECTIONELEVATION:

1,227FT

DRILL DEPTH: 270FT

25N

30W

26

DEPTH TO BED: 15FTUTM XUTM Y

395,099.62

4,079,616.40

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50**LOG ID:****007363**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1941/00/00TOWNSHIPRANGESECTIONELEVATION:

1,171FT

DRILL DEPTH: 245FT

25N

30W

26

DEPTH TO BED: 25FTUTM XUTM Y

394,699.63

4,078,802.41

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING):**LOG ID:****019134**WELL TYPE

Private Well

DRILL DATE: 1960/05/00TOWNSHIPRANGESECTIONELEVATION:

1,233FT

DRILL DEPTH: 70FT

25N

30W

26

DEPTH TO BED: 15FTUTM XUTM Y

394,399.61

4,080,124.41

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: IN SE STARK CITYS.W.L. (AFTER CASING): 40



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005443**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1939/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,226FT
<u>DRILL DEPTH:</u>	375FT	25N	30W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				392,686.60	4,080,077.44
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	35	<u>REMARKS:</u>	"ZINC PROSPECT"			

LOG ID:**006029**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,229FT
<u>DRILL DEPTH:</u>	243FT	25N	30W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				392,286.61	4,079,259.45
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	65					

LOG ID:**005349**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,234FT
<u>DRILL DEPTH:</u>	330FT	25N	30W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				391,868.61	4,079,726.46
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	"OPEN GROUND AND RED MUD FROM 285-320"			
<u>S.W.L. (AFTER CASING):</u>	100					

LOG ID:**005870**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,230FT
<u>DRILL DEPTH:</u>	275FT	25N	30W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				391,968.61	4,079,216.46
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	50					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005871**WELL TYPE

Private Well

DRILL DATE: 1939/00/00TOWNSHIPRANGESECTIONELEVATION:

1,230FT

DRILL DEPTH: 238FT

25N

30W

28

DEPTH TO BED: 35FTUTM XUTM Y

391,868.61

4,079,318.46

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 40**LOG ID:****005944**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1940/03/TOWNSHIPRANGESECTIONELEVATION:

1,232FT

DRILL DEPTH: 260FT

25N

30W

28

DEPTH TO BED: 75FTUTM XUTM Y

391,268.61

4,079,522.47

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SMITH LEASES.W.L. (AFTER CASING): 50**LOG ID:****006030**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1940//TOWNSHIPRANGESECTIONELEVATION:

1,232FT

DRILL DEPTH: 215FT

25N

30W

28

DEPTH TO BED: 40FTUTM XUTM Y

391,768.60

4,080,032.46

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SMITH LEASES.W.L. (AFTER CASING): 30**LOG ID:****008123**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIPRANGESECTIONELEVATION:

1,250FT

DRILL DEPTH: 245FT

25N

30W

28

DEPTH TO BED: 35FTUTM XUTM Y

390,568.61

4,079,012.49

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WATER WELL ??; NOT STATED IF MINERAL PROSPECTS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020694

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,230FT
<u>DRILL DEPTH:</u>	275FT	25N	30W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				388,035.59	4,079,649.52
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	"CAN'T LOCATE"; NO PRODUCTION, CONSTRUCTION, OR			
<u>S.W.L. (AFTER CASING):</u>			ELEVATION DATA			

LOG ID:
007883

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1941/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,250FT
<u>DRILL DEPTH:</u>	303FT	25N	30W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				388,081.62	4,077,327.53
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION DATA			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
008108

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1942/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,287FT
<u>DRILL DEPTH:</u>	330FT	25N	30W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				389,295.63	4,077,270.52
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	80					

LOG ID:
009566

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1946/12/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,277FT
<u>DRILL DEPTH:</u>	250FT	25N	30W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				389,495.62	4,077,778.51
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	80					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005885**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1940/00/00TOWNSHIPRANGESECTIONELEVATION:

1,212FT

DRILL DEPTH: 195FT

25N

30W

34

DEPTH TO BED: 15FTUTM XUTM Y

392,632.62

4,078,458.45

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: "PROSPECT HOLE"S.W.L. (AFTER CASING): 5**LOG ID:****006875**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1941/04/18TOWNSHIPRANGESECTIONELEVATION:

1,230FT

DRILL DEPTH: 215FT

25N

30W

36

DEPTH TO BED: 190FTUTM XUTM Y

395,352.64

4,078,252.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****006876**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1941/05/05TOWNSHIPRANGESECTIONELEVATION:

1,216FT

DRILL DEPTH: 220FT

25N

30W

36

DEPTH TO BED: 65FTUTM XUTM Y

395,352.64

4,078,252.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WHOLE SECTION SILICIFIED AND UNITS NOT WELL DEFINEDS.W.L. (AFTER CASING):**LOG ID:****006877**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1941/00/00TOWNSHIPRANGESECTIONELEVATION:

1,218FT

DRILL DEPTH: 235FT

25N

30W

36

DEPTH TO BED: 85FTUTM XUTM Y

395,452.64

4,078,354.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DR R. MEYERS #3S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007115**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1941/06/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,224FT
<u>DRILL DEPTH:</u>	230FT	25N	30W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				395,352.64	4,078,456.40
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	DR. ROY MEYERS #4; ON OLD KDF MINING LAND, SOUTH OF			
<u>S.W.L. (AFTER CASING):</u>			STARK CITY			

LOG ID:**007117**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1941/07/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,230FT
<u>DRILL DEPTH:</u>	240FT	25N	30W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				395,552.64	4,078,252.40
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	ON OLD KDF MINING LAND; DR. R. MEYERS #5			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**007127**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1941/07/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,128FT
<u>DRILL DEPTH:</u>	165FT	25N	30W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				395,352.65	4,077,026.41
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	DR. R.E. MEYERS #6			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**007364**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1941/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,212FT
<u>DRILL DEPTH:</u>	235FT	25N	30W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				395,352.64	4,078,252.40
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007365**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1941/00/00TOWNSHIPRANGESECTIONELEVATION:

1,216FT

DRILL DEPTH: 245FT

25N

30W

36

DEPTH TO BED: 50FTUTM XUTM Y

395,352.64

4,078,252.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****007916**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/02/13TOWNSHIPRANGESECTIONELEVATION:

1,206FT

DRILL DEPTH: 235FT

25N

30W

36

DEPTH TO BED: 10FTUTM XUTM Y

395,352.64

4,078,456.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DR. R.E. MEYERS #SW12S.W.L. (AFTER CASING):**LOG ID:****007917**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1941/11/21TOWNSHIPRANGESECTIONELEVATION:

1,226FT

DRILL DEPTH: 240FT

25N

30W

36

DEPTH TO BED: 60FTUTM XUTM Y

395,352.64

4,078,252.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DR. R.E. MEYERS #SW11S.W.L. (AFTER CASING):**LOG ID:****007918**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/01/06TOWNSHIPRANGESECTIONELEVATION:

1,233FT

DRILL DEPTH: 250FT

25N

30W

36

DEPTH TO BED: 30FTUTM XUTM Y

395,352.64

4,078,252.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DR. R.E. MEYERS #SW15S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007920**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/03/20TOWNSHIP RANGE SECTION

25N 30W 36

ELEVATION: 1,220FTDRILL DEPTH: 250FTDEPTH TO BED: 60FTUTM X UTM Y

395,352.64 4,078,456.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DR. R.E. MEYERS #SW14S.W.L. (AFTER CASING):**LOG ID:****007939**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1941/12/05TOWNSHIP RANGE SECTION

25N 30W 36

ELEVATION: 1,231FTDRILL DEPTH: 245FTDEPTH TO BED: 50FTUTM X UTM Y

395,352.64 4,078,252.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DR. R.E. MEYERS #SW13S.W.L. (AFTER CASING):**LOG ID:****001906**WELL TYPE

Community Public Well

DRILL DATE: 1911/12/00TOWNSHIP RANGE SECTION

25N 30W 6

ELEVATION: 1,105FTDRILL DEPTH: 968FTDEPTH TO BED: 25FTUTM X UTM Y

388,375.52 4,086,000.49

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 113**LOG ID:****001986**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP RANGE SECTION

25N 30W 6

ELEVATION: 1,142FTDRILL DEPTH: 308FTDEPTH TO BED: 25FTUTM X UTM Y

388,275.52 4,086,105.49

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: POOR SET OF SAMPLES; MAYBE TWO HOLES COMBINED; NO
STRAT PICKS MADES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024328**WELL TYPE

Community Public Well

DRILL DATE: 1966/07/00TOWNSHIPRANGESECTIONELEVATION:

1,190FT

DRILL DEPTH: 1,250FT

25N

31W

1

DEPTH TO BED: 30FTUTM XUTM Y

387,344.52

4,085,643.49

ZONE 15

S.W.L. (BEFORE CASING): 186 FTREMARKS:S.W.L. (AFTER CASING): 168 FT**LOG ID:****008013**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/00/00TOWNSHIPRANGESECTIONELEVATION:

1,276FT

DRILL DEPTH: 303FT

25N

31W

12

DEPTH TO BED: 20FTUTM XUTM Y

386,907.54

4,084,423.49

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #F36 ARGOS.W.L. (AFTER CASING):**LOG ID:****007887**WELL TYPE

Private Well

DRILL DATE: 1941/00/00TOWNSHIPRANGESECTIONELEVATION:

1,220FT

DRILL DEPTH: 350FT

25N

31W

13

DEPTH TO BED: 30FTUTM XUTM Y

385,844.57

4,082,208.50

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 65**LOG ID:****004966**WELL TYPE

Private Well

DRILL DATE: 1938/08/00TOWNSHIPRANGESECTIONELEVATION:

1,157FT

DRILL DEPTH: 290FT

25N

31W

15

DEPTH TO BED: 35FTUTM XUTM Y

384,085.57

4,082,721.49

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 60

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
017370

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1956/09/14	<u>TOWNSHIP</u>	25N	<u>RANGE</u>	31W	<u>SECTION</u>	17	<u>ELEVATION:</u>	1,098FT
<u>DRILL DEPTH:</u>	579FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT							380,873.57	4,083,852.48
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT		<u>REMARKS:</u>	YIELD - 30 GPM @ 160'				
<u>S.W.L. (AFTER CASING):</u>	90								

LOG ID:
014509

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1956/05/11	<u>TOWNSHIP</u>	25N	<u>RANGE</u>	31W	<u>SECTION</u>	18	<u>ELEVATION:</u>	991FT
<u>DRILL DEPTH:</u>	445FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT							378,025.59	4,083,435.47
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT		<u>REMARKS:</u>					
<u>S.W.L. (AFTER CASING):</u>	5								

LOG ID:
001627

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1910/04/04	<u>TOWNSHIP</u>	25N	<u>RANGE</u>	31W	<u>SECTION</u>	19	<u>ELEVATION:</u>	1,038FT
<u>DRILL DEPTH:</u>	1,201FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT							378,162.61	4,081,291.47
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>				<u>REMARKS:</u>	POOR SAMPLES TO 150'; NONE BELOW 1130'; ORIGINALLY FLOWED				
<u>S.W.L. (AFTER CASING):</u>									

LOG ID:
002917

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	25N	<u>RANGE</u>	31W	<u>SECTION</u>	19	<u>ELEVATION:</u>	1,128FT
<u>DRILL DEPTH:</u>	1,012FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	870FT							378,262.62	4,080,865.47
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT		<u>REMARKS:</u>	OLD WELL DEEPENED 870-1012'; NO SAMPLES ABOVE 870'				
<u>S.W.L. (AFTER CASING):</u>	90								



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008477**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1944/01/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,004FT
<u>DRILL DEPTH:</u>	1,195FT	25N	31W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	13FT				377,925.61	4,081,950.47
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	30	<u>REMARKS:</u>	NEAR NEW RESERVOIR			

LOG ID:**008527**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1944/04/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,004FT
<u>DRILL DEPTH:</u>	1,210FT	25N	31W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				377,962.61	4,081,719.47
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	38	<u>REMARKS:</u>	formerly in name of Pet Milk Company Well #1 - AT PLANT IN NEOSHO; YIELD - 390 GPM BEFORE ACIDIZED, 425 AFTER			

LOG ID:**003437**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1935/08/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,200FT
<u>DRILL DEPTH:</u>	1,075FT	25N	31W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				383,009.59	4,081,901.49
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	120	<u>REMARKS:</u>				

LOG ID:**018977**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/07/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,231FT
<u>DRILL DEPTH:</u>	335FT	25N	31W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				383,009.59	4,081,309.49
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100	<u>REMARKS:</u>	2 MI E OF NEOCHO ON HWY 86, 1/4 MI SE			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018978

WELL TYPE
Private Well

DRILL DATE: 1959/06/16 TOWNSHIP 25N RANGE 31W SECTION 28 ELEVATION: 1,189FT
DRILL DEPTH: 450FT UTM X 382,332.61 UTM Y 4,080,576.49
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2 MI E OF NWOSHO ON HWY 86, 3/4 MI S
S.W.L. (AFTER CASING): 140

LOG ID:
004078

WELL TYPE
Community Public Well

DRILL DATE: 1937/02/00 TOWNSHIP 25N RANGE 31W SECTION 30 ELEVATION: 1,164FT
DRILL DEPTH: 1,247FT UTM X 377,666.63 UTM Y 4,080,324.47
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 130

LOG ID:
006183

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1940/06/06 TOWNSHIP 25N RANGE 31W SECTION 30 ELEVATION: 1,242FT
DRILL DEPTH: 257FT UTM X 378,994.63 UTM Y 4,079,786.48
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: "PROSPECT HOLE"
S.W.L. (AFTER CASING): 30

LOG ID:
011060

WELL TYPE
Private Well

DRILL DATE: 1947/00/00 TOWNSHIP 25N RANGE 31W SECTION 32 ELEVATION: 1,211FT
DRILL DEPTH: 365FT UTM X 380,239.64 UTM Y 4,078,411.49
DEPTH TO BED: 200FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of W.H. Brown (?) - OLD WELL DEEPENED 200-365'
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019630

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1960/10/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,193FT
<u>DRILL DEPTH:</u>	250FT	25N	31W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				383,253.62	4,078,894.50
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	90	<u>REMARKS:</u>	4.5 MI SE OF NEOSHO			

LOG ID:
008890

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1945/09/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,040FT
<u>DRILL DEPTH:</u>	250FT	25N	31W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				380,414.55	4,085,878.47
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	40					

LOG ID:
015029

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1956/05/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,046FT
<u>DRILL DEPTH:</u>	800FT	25N	31W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	250FT				378,288.58	4,084,504.46
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	10-FT SAMPLES			
<u>S.W.L. (AFTER CASING):</u>	40					

LOG ID:
003194

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,119FT
<u>DRILL DEPTH:</u>	312FT	25N	31W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	265FT				380,698.56	4,084,887.47
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007936**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/00/00TOWNSHIP

25N

RANGE

31W

SECTION

8

ELEVATION:DRILL DEPTH: 245FTDEPTH TO BED: 80FTUTM X

380,698.56

UTM Y

4,084,887.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ALL ALTERED - SILICIFIED; BURL-K 75-215 ON LOGS.W.L. (AFTER CASING):**LOG ID:****008031**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/00/00TOWNSHIP

25N

RANGE

31W

SECTION

8

ELEVATION:

1,119FT

DRILL DEPTH: 230FTDEPTH TO BED: 10FTUTM X

380,698.56

UTM Y

4,084,887.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "CAN'T LOCATE" - DR. R. MEYERSS.W.L. (AFTER CASING):**LOG ID:****008144**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIP

25N

RANGE

31W

SECTION

8

ELEVATION:

1,119FT

DRILL DEPTH: 115FTDEPTH TO BED: 10FTUTM X

380,698.56

UTM Y

4,084,887.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: JUST N OF GOVT WATER PLANT ON N SIDE OF ROADS.W.L. (AFTER CASING):**LOG ID:****007330**WELL TYPE

Private Well

DRILL DATE: 1941/00/00TOWNSHIP

25N

RANGE

31W

SECTION

9

ELEVATION:

1,135FT

DRILL DEPTH: 345FTDEPTH TO BED: 30FTUTM X

381,853.56

UTM Y

4,084,698.48

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 0.25 MI S OF JCT HWYS 60 & 71; "CAN'T LOCATE 1950"S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002891**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1934/07/26TOWNSHIP RANGE SECTION

25N 32W 13

ELEVATION: 985FTDRILL DEPTH: 187FTUTM X UTM YDEPTH TO BED: 125FT377,061.59 4,083,864.46
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****006082**WELL TYPE

Community Public Well

DRILL DATE: 1940/06/00TOWNSHIP RANGE SECTION

25N 32W 13

ELEVATION: 997FTDRILL DEPTH: 1,180FTUTM X UTM YDEPTH TO BED: 15FT377,561.60 4,082,544.47
ZONE 15S.W.L. (BEFORE CASING):REMARKS: FLOWED AT 140 GPMS.W.L. (AFTER CASING):**LOG ID:****008407**WELL TYPE

Community Public Well

DRILL DATE: 1943/11/13TOWNSHIP RANGE SECTION

25N 32W 13

ELEVATION: 1,008FTDRILL DEPTH: 1,200FTUTM X UTM YDEPTH TO BED: 30FT377,361.60 4,083,154.47
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1900 FT NW OF #3S.W.L. (AFTER CASING): 31**LOG ID:****008834**WELL TYPE

Private Well

DRILL DATE: 1945/00/00TOWNSHIP RANGE SECTION

25N 32W 15

ELEVATION: 1,153FTDRILL DEPTH: 465FTUTM X UTM YDEPTH TO BED: 45FT374,161.60 4,084,055.45
ZONE 15S.W.L. (BEFORE CASING):REMARKS: ON HWY 71 3.5 MI N OF NEOSHOS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011562**WELL TYPE

Private Well

DRILL DATE: 1951/07/05TOWNSHIP RANGE SECTION

25N

32W

21

ELEVATION: 1,216FTDRILL DEPTH: 350FTDEPTH TO BED: 45FTUTM X UTM Y

372,694.63 4,082,092.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****020937**WELL TYPE

Private Well

DRILL DATE: 1962/06/04TOWNSHIP RANGE SECTION

25N

32W

21

ELEVATION: 1,170FTDRILL DEPTH: 612FTDEPTH TO BED: 65FTUTM X UTM Y

371,294.63 4,081,888.45

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI W & 0.5 MI S OF REA BUILDINGS.W.L. (AFTER CASING): 110**LOG ID:****003436**WELL TYPE

Private Well

DRILL DATE: 1935/07/00TOWNSHIP RANGE SECTION

25N

32W

22

ELEVATION: 1,206FTDRILL DEPTH: 300FTDEPTH TO BED: 40FTUTM X UTM Y

373,806.62 4,081,942.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****016816**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1957/10/18TOWNSHIP RANGE SECTION

25N

32W

22

ELEVATION: 1,221FTDRILL DEPTH: 800FTDEPTH TO BED: 20FTUTM X UTM Y

372,906.62 4,082,447.45

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: EVERY OTHER SAMPLE MISSING FOR 95% OF LOGS.W.L. (AFTER CASING): 220

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019160

WELL TYPE
Private Well

DRILL DATE: 1959/11/08

TOWNSHIP RANGE SECTION

ELEVATION: 1,215FT

DRILL DEPTH: 450FT

25N 32W 22

DEPTH TO BED: 30FT

UTM X UTM Y
373,306.62 4,082,447.45
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 1 MI W OF NEOSHO ON HEY 86

S.W.L. (AFTER CASING):

LOG ID:
019824

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 1,184FT

DRILL DEPTH: 385FT

25N 32W 26

DEPTH TO BED: 25FT

UTM X UTM Y
375,453.65 4,079,470.47
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: ON HWY 60, 1 MI W OF HWY 77

S.W.L. (AFTER CASING): 40

LOG ID:
010288

WELL TYPE
Private Well

DRILL DATE: 1948/08/01

TOWNSHIP RANGE SECTION

ELEVATION: 1,209FT

DRILL DEPTH: 805FT

25N 32W 27

DEPTH TO BED: 200FT

UTM X UTM Y
374,245.64 4,080,230.46
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: NO SAMPLES 0-200'

S.W.L. (AFTER CASING): 245

LOG ID:
010988

WELL TYPE
Private Well

DRILL DATE: 1947/08/19

TOWNSHIP RANGE SECTION

ELEVATION: 1,196FT

DRILL DEPTH: 215FT

25N 32W 27

DEPTH TO BED: 145FT

UTM X UTM Y
372,845.66 4,079,414.46
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: ON HWY 60, 2 MI W OF JCT WITH HWY 71

S.W.L. (AFTER CASING): 47



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011055**WELL TYPE

Private Well

DRILL DATE: 1947/09/05TOWNSHIPRANGESECTIONELEVATION:

1,196FT

DRILL DEPTH: 195FT

25N

32W

27

DEPTH TO BED: 30FTUTM XUTM Y

372,845.65

4,079,618.46

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI N OF HWY 60S.W.L. (AFTER CASING): 70**LOG ID:****016602**WELL TYPE

Private Well

DRILL DATE: 1957/08/00TOWNSHIPRANGESECTIONELEVATION:

1,204FT

DRILL DEPTH: 950FT

25N

32W

27

DEPTH TO BED: 15FTUTM XUTM Y

373,445.65

4,079,618.46

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 20 GPM W/ 2-3' DD; 3.5 MI W OF NEOSHO, 500 YDS N OF HWYS.W.L. (AFTER CASING): 200**LOG ID:****026654**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,165FT

DRILL DEPTH: 345FT

25N

32W

28

DEPTH TO BED: 25FTUTM XUTM Y

371,337.66

4,079,972.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: POSSIBLY A CORES.W.L. (AFTER CASING):**LOG ID:****001921**WELL TYPE

Private Well

DRILL DATE: 1914/12/00TOWNSHIPRANGESECTIONELEVATION:

1,164FT

DRILL DEPTH: 330FT

25N

32W

31

DEPTH TO BED: 80FTUTM XUTM Y

368,855.68

4,078,863.44

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DRY HOLE TO 333'; SULPHUR WATER AT 325'S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019206**WELL TYPE

Private Well

DRILL DATE: 1960/00/00TOWNSHIPRANGESECTIONELEVATION:

1,206FT

DRILL DEPTH: 230FT

25N

32W

35

DEPTH TO BED: 50FTUTM XUTM Y

374,396.65

4,079,172.46

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI W OF NEOSHO ON HWY 60S.W.L. (AFTER CASING): 185**LOG ID:****021354**WELL TYPE

Private Well

DRILL DATE: 1962/06/01TOWNSHIPRANGESECTIONELEVATION:

1,202FT

DRILL DEPTH: 815FT

25N

32W

35

DEPTH TO BED: 40FTUTM XUTM Y

375,596.66

4,077,754.47

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: EVERY OTHER SAMPLE BELOW 405'S.W.L. (AFTER CASING): 225**LOG ID:****005570**WELL TYPE

Private Well

DRILL DATE: 1939/08/00TOWNSHIPRANGESECTIONELEVATION:

1,203FT

DRILL DEPTH: 185FT

25N

32W

36

DEPTH TO BED: 25FTUTM XUTM Y

376,605.66

4,077,711.48

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATA; 3 MI S OF NEOSHO,
0.5 MI E OF 71S.W.L. (AFTER CASING):**LOG ID:****007314**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1941/08/21TOWNSHIPRANGESECTIONELEVATION:

1,208FT

DRILL DEPTH: 607FT

25N

32W

36

DEPTH TO BED: 25FTUTM XUTM Y

376,005.66

4,077,711.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: VERY LITTLE DATA; DRILLERS LOG TO 555'S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**001979**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1915/12/00 TOWNSHIP 25N RANGE 33W SECTION 11 ELEVATION: 1,079FT
DRILL DEPTH: 227FT UTM X 365,815.62 UTM Y 4,085,365.43
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION & CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:**028925**WELL TYPE

Noncommunity Public Well

DRILL DATE: 2002/01/ TOWNSHIP 25N RANGE 33W SECTION 11 ELEVATION: 1,060FT
DRILL DEPTH: 530FT UTM X 365,015.62 UTM Y 4,085,765.45
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: John Scott, pastor?/owner
S.W.L. (AFTER CASING):

LOG ID:**012592**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1954// TOWNSHIP 25N RANGE 33W SECTION 15 ELEVATION: 952FT
DRILL DEPTH: 260FT UTM X 363,475.63 UTM Y 4,084,105.47
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:**012593**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1954// TOWNSHIP 25N RANGE 33W SECTION 15 ELEVATION: 942FT
DRILL DEPTH: 233FT UTM X 363,475.64 UTM Y 4,083,707.47
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO DATA; NOT SURE OF CORRELATIONS
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012594**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	945FT
<u>DRILL DEPTH:</u>	260FT	25N	33W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				363,475.64	4,083,905.47
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**012596**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	957FT
<u>DRILL DEPTH:</u>	255FT	25N	33W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				363,475.63	4,084,303.47
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO DATA; VERY STRANGE LOG, TOO MUCH CHERT-FREE			
<u>S.W.L. (AFTER CASING):</u>			LIMESTONE			

LOG ID:**012597**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	981FT
<u>DRILL DEPTH:</u>	608FT	25N	33W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				363,084.63	4,084,351.48
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA; MINERAL			
<u>S.W.L. (AFTER CASING):</u>			PROSPECT ???			

LOG ID:**022362**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1963/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,050FT
<u>DRILL DEPTH:</u>	175FT	25N	33W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				366,631.65	4,082,407.43
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	35					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022573**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1964/01/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,042FT
<u>DRILL DEPTH:</u>	580FT	25N	33W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				361,595.66	4,079,740.50
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	80	<u>REMARKS:</u>	NO PRODUCTION DATA			

LOG ID:**009045**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1946/01/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,156FT
<u>DRILL DEPTH:</u>	360FT	25N	33W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					362,493.62	4,086,879.49
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	57	<u>REMARKS:</u>	A.N. WINCHESTER FARM, CHARLES KEITH - LEASEE			

LOG ID:**009080**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1946/01/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,157FT
<u>DRILL DEPTH:</u>	395FT	25N	33W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				362,893.61	4,087,282.48
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60	<u>REMARKS:</u>	SENECA FAULT ZONE, USBM PROJECT 15-183			

LOG ID:**009082**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1946/02/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,151FT
<u>DRILL DEPTH:</u>	365FT	25N	33W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				362,893.61	4,087,282.48
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	55	<u>REMARKS:</u>	SENECA FAULT ZONE, USBM PROJECT 18-183			

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
009219
WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1946/02/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,152FT
		25N	33W	4		
<u>DRILL DEPTH:</u>	370FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				362,793.62	4,087,182.48
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	WINCHESTER PROPERTY, CHARLES KEITH - LEASEE			
<u>S.W.L. (AFTER CASING):</u>	50					

LOG ID:
009261
WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1946/03/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,152FT
		25N	33W	4		
<u>DRILL DEPTH:</u>	375FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				362,493.62	4,086,879.49
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	WINCHESTER PROPERTY, CHARLES KEITH - LEASEE			
<u>S.W.L. (AFTER CASING):</u>	55					

LOG ID:
009264
WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1946/06/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,161FT
		25N	33W	4		
<u>DRILL DEPTH:</u>	370FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				362,493.62	4,086,879.49
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	WINCHESTER PROPERTY, CHARLES KEITH - LEASEE			
<u>S.W.L. (AFTER CASING):</u>	70					

LOG ID:
009265
WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1946/04/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,154FT
		25N	33W	4		
<u>DRILL DEPTH:</u>	379FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				362,493.62	4,086,879.49
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	WINCHESTER PROPERTY, CHARLES KEITH - LEASEE			
<u>S.W.L. (AFTER CASING):</u>	20					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009266**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1946/03/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,153FT
<u>DRILL DEPTH:</u>	370FT	25N	33W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				362,493.62	4,086,879.49
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	WINCHESTER PROPERTY, CHARLES KEITH - LEASEE			
<u>S.W.L. (AFTER CASING):</u>	55					

LOG ID:**009267**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1946/04/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,143FT
<u>DRILL DEPTH:</u>	370FT	25N	33W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				362,493.62	4,086,879.49
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	CHARLES KEITH - LEASEE			
<u>S.W.L. (AFTER CASING):</u>	48					

LOG ID:**009270**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1946/05/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,152FT
<u>DRILL DEPTH:</u>	380FT	25N	33W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				362,493.62	4,086,879.49
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	CHARLES KEITH - LEASEE			
<u>S.W.L. (AFTER CASING):</u>	60					

LOG ID:**009271**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1946/04/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,153FT
<u>DRILL DEPTH:</u>	380FT	25N	33W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				362,493.62	4,086,879.49
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	CHARLES KEITH - LEASEE			
<u>S.W.L. (AFTER CASING):</u>	70					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009410**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/06/26TOWNSHIPRANGESECTIONELEVATION:

1,160FT

DRILL DEPTH: 376FT

25N

33W

4

DEPTH TO BED: 25FTUTM XUTM Y

362,793.62

4,087,182.48

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

CHARLES KEITH-LEASEE

S.W.L. (AFTER CASING): 70**LOG ID:****009411**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/07/08TOWNSHIPRANGESECTIONELEVATION:

1,160FT

DRILL DEPTH: 370FT

25N

33W

4

DEPTH TO BED:UTM XUTM Y

362,793.62

4,087,182.48

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

CHARLES KEITH - LEASEE

S.W.L. (AFTER CASING): 70**LOG ID:****009412**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/07/19TOWNSHIPRANGESECTIONELEVATION:

1,160FT

DRILL DEPTH: 370FT

25N

33W

4

DEPTH TO BED: 20FTUTM XUTM Y

362,793.62

4,087,182.48

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

CHARLES KEITH - LEASEE

S.W.L. (AFTER CASING): 65**LOG ID:****013227**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1954//TOWNSHIPRANGESECTIONELEVATION:

1,123FT

DRILL DEPTH: 365FT

25N

33W

4

DEPTH TO BED: 20FTUTM XUTM Y

362,193.62

4,086,376.49

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 109



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013229**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,156FT
<u>DRILL DEPTH:</u>	371FT	25N	33W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				362,793.61	4,087,382.48
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	62				<u>REMARKS:</u>	

LOG ID:**013231**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,105FT
<u>DRILL DEPTH:</u>	280FT	25N	33W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				362,193.62	4,086,376.49
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	67				<u>REMARKS:</u>	

LOG ID:**013232**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,158FT
<u>DRILL DEPTH:</u>	335FT	25N	33W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				362,593.62	4,087,382.48
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	90				<u>REMARKS:</u>	

LOG ID:**013234**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,113FT
<u>DRILL DEPTH:</u>	365FT	25N	33W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				362,393.62	4,086,174.49
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	104				<u>REMARKS:</u> MISS-NUMBERED 12234 ON LOG	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013235**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,157FT
<u>DRILL DEPTH:</u>	385FT	25N	33W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				362,393.62	4,086,980.49
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	69				<u>REMARKS:</u>	

LOG ID:**013237**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,102FT
<u>DRILL DEPTH:</u>	241FT	25N	33W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				362,393.62	4,086,174.49
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	92				<u>REMARKS:</u>	

LOG ID:**013239**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,154FT
<u>DRILL DEPTH:</u>	350FT	25N	33W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				362,393.62	4,086,980.49
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	66				<u>REMARKS:</u>	

LOG ID:**013240**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,147FT
<u>DRILL DEPTH:</u>	355FT	25N	33W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				362,393.62	4,086,980.49
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60				<u>REMARKS:</u>	

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012908**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1954// TOWNSHIP 25N RANGE 33W SECTION 5 ELEVATION: 1,139FT
DRILL DEPTH: 307FT UTM X 361,586.62 UTM Y 4,087,645.50
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**021714**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 25N RANGE 34W SECTION 24 ELEVATION: 1,102FT
DRILL DEPTH: 590FT UTM X 357,639.64 UTM Y 4,082,303.56
DEPTH TO BED: 235FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA; NO SAMPLES 0-235'
S.W.L. (AFTER CASING):

LOG ID:**022572**WELL TYPE

Private Well

DRILL DATE: 1963/12/00 TOWNSHIP 25N RANGE 34W SECTION 25 ELEVATION: 1,051FT
DRILL DEPTH: 553FT UTM X 357,373.64 UTM Y 4,080,481.56
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 8 GPM @ 350'; 0.75 MI N ON HWY 43 @ SENECA, 500 YDS
S.W.L. (AFTER CASING): 270 E

LOG ID:**009601**WELL TYPE

Community Public Well

DRILL DATE: 1947/08/00 TOWNSHIP 25N RANGE 34W SECTION 35 ELEVATION: 978FT
DRILL DEPTH: 1,279FT UTM X 356,019.63 UTM Y 4,078,724.57
DEPTH TO BED: 22FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: AT RESERVOIR
S.W.L. (AFTER CASING): 196



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
016967

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1958/01/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,004FT
<u>DRILL DEPTH:</u>	1,435FT	25N	34W	35		
<u>DEPTH TO BED:</u>	35FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	265 FT				356,575.63	4,079,681.57
<u>S.W.L. (AFTER CASING):</u>	236 FT				ZONE 15	
<u>REMARKS:</u>						

LOG ID:
001873

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1915/08/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	882FT
<u>DRILL DEPTH:</u>	822FT	25N	34W	36		
<u>DEPTH TO BED:</u>	25FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				356,679.63	4,078,954.56
<u>S.W.L. (AFTER CASING):</u>	42				ZONE 15	
<u>REMARKS:</u> formerly in name of Seneca Artesion Water Company - 75' S OF WELL #1						

LOG ID:
009570

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1930/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	860FT
<u>DRILL DEPTH:</u>	950FT	25N	34W	36		
<u>DEPTH TO BED:</u>	835FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				356,679.63	4,078,722.56
<u>S.W.L. (AFTER CASING):</u>	20				ZONE 15	
<u>REMARKS:</u> OLD WELL DEEPENED 835-950' (1935)						

LOG ID:
008941

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1944/05/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,229FT
<u>DRILL DEPTH:</u>	148FT	26N	29W	10		
<u>DEPTH TO BED:</u>	40FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					402,522.46	4,093,972.23
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	
<u>REMARKS:</u> 270' W, 190' N OF SHAFT						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011437**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1950/08/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,245FT
<u>DRILL DEPTH:</u>	505FT	26N	29W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				403,798.57	4,086,364.23
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	2 MI S OF PIERCE CITY ON HWY 60, THEN 4 MI W			

LOG ID:**007258**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1941/07/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,252FT
<u>DRILL DEPTH:</u>	195FT	26N	29W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				402,265.44	4,095,564.23
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

LOG ID:**004715**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1938/04/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,295FT
<u>DRILL DEPTH:</u>	220FT	26N	29W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				399,396.45	4,094,404.28
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	NAVY BEAN LEASE			

LOG ID:**006843**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1941/04/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,301FT
<u>DRILL DEPTH:</u>	997FT	26N	29W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	155FT				399,196.45	4,094,404.28
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	166	<u>REMARKS:</u>	OLD EXPLORATORY HOLE DEEPENED (155-977') FOR WATER WELL			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**000488**WELL TYPE

Unknown Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,260FT

DRILL DEPTH:

110FT

26N

30W

14

UTM XUTM YDEPTH TO BED:

40FT

394,387.45

4,092,514.37

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:LOGS 488A-D; BURLINGTON - A-D, GRAND FALLS - A,C,D,
PIERSON - A,B?S.W.L. (AFTER CASING):**LOG ID:****008814**WELL TYPE

Private Well

DRILL DATE:

1945/01/01

TOWNSHIPRANGESECTIONELEVATION:

1,241FT

DRILL DEPTH:

547FT

26N

30W

16

UTM XUTM YDEPTH TO BED:

30FT

392,363.44

4,093,059.40

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

85

LOG ID:**020497**WELL TYPE

Private Well

DRILL DATE:

1961/11/10

TOWNSHIPRANGESECTIONELEVATION:

1,172FT

DRILL DEPTH:

470FT

26N

30W

19

UTM XUTM YDEPTH TO BED:

5FT

388,555.45

4,091,690.47

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

YIELD - 15 GPM @ 150'

S.W.L. (AFTER CASING):

70

LOG ID:**028646**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,140FT

DRILL DEPTH:

1,875FT

26N

30W

20

UTM XUTM YDEPTH TO BED:

65FT

389,881.45

4,091,314.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

"OL & GAS TEST" - CLOSE TO RICHEY FAULT

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**000497**WELL TYPE

Unknown Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,096FT

DRILL DEPTH:

173FT

26N

30W

21

DEPTH TO BED:

170FT

UTM XUTM Y

391,098.47

4,090,222.43

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****001683**WELL TYPE

Private Well

DRILL DATE:

1913/08/00

TOWNSHIPRANGESECTIONELEVATION:

1,200FT

DRILL DEPTH:

180FT

26N

30W

24

DEPTH TO BED:

15FT

UTM XUTM Y

396,236.49

4,089,922.35

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****001684**WELL TYPE

Private Well

DRILL DATE:

1913/08/00

TOWNSHIPRANGESECTIONELEVATION:

1,181FT

DRILL DEPTH:

133FT

26N

30W

25

DEPTH TO BED:

30FT

UTM XUTM Y

397,175.51

4,088,919.33

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO DATA - COULD BE A PROSPECT HOLES.W.L. (AFTER CASING):**LOG ID:****009187**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1946/05/31

TOWNSHIPRANGESECTIONELEVATION:

1,090FT

DRILL DEPTH:

122FT

26N

30W

26

DEPTH TO BED:

20FT

UTM XUTM Y

394,664.50

4,089,285.38

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: IN RITCHEYS.W.L. (AFTER CASING):

12



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
017919

WELL TYPE
Private Well

DRILL DATE: 1958/12/27 TOWNSHIP 26N RANGE 30W SECTION 26 ELEVATION: 1,075FT
DRILL DEPTH: 98FT UTM X 394,564.50 UTM Y 4,089,184.38
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 BLK S OF POST OFFICE IN RITCHEY
S.W.L. (AFTER CASING): 16

LOG ID:
000277

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1906/00/00 TOWNSHIP 26N RANGE 30W SECTION 31 ELEVATION: 1,100FT
DRILL DEPTH: 1,622FT UTM X 388,136.50 UTM Y 4,087,125.48
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO UNITS IDENTIFIED EXCEPT "TOP OF GUNTER?" AND "BASE
S.W.L. (AFTER CASING): OF ROUBIDOUX?"

LOG ID:
014514

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 26N RANGE 30W SECTION 33 ELEVATION: 1,200FT
DRILL DEPTH: 1,032FT UTM X 391,675.51 UTM Y 4,087,105.43
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:
012279

WELL TYPE
Private Well

DRILL DATE: 1952/02/10 TOWNSHIP 26N RANGE 30W SECTION 5 ELEVATION: 1,178FT
DRILL DEPTH: 832FT UTM X 390,981.41 UTM Y 4,095,008.41
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): 18 FT REMARKS: OLD WELL (0-636') DEEPENED (SEE ALSO LOG #14454)
S.W.L. (AFTER CASING): 35 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014454**WELL TYPE

Private Well

DRILL DATE: 1952/02/10TOWNSHIPRANGESECTIONELEVATION:

1,178FT

DRILL DEPTH: 830FT

26N

30W

5

DEPTH TO BED: 35FTUTM XUTM Y

390,981.41

4,095,008.41

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:OLD WELL (see also log #12279) DEEPENED 636-830' (#14454); OLD
YIELD 122 GPMS.W.L. (AFTER CASING): 35**LOG ID:****017737**WELL TYPE

Community Public Well

DRILL DATE: 1958/11/00TOWNSHIPRANGESECTIONELEVATION:

1,180FT

DRILL DEPTH: 1,250FT

26N

31W

10

DEPTH TO BED: 50FTUTM XUTM Y

383,079.43

4,095,026.44

ZONE 15

S.W.L. (BEFORE CASING): 91 FTREMARKS:S.W.L. (AFTER CASING): 151 FT**LOG ID:****003212**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,185FT

DRILL DEPTH: 312FT

26N

31W

11

DEPTH TO BED: 43FTUTM XUTM Y

385,129.43

4,094,556.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):**LOG ID:****004286**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1935/11/14TOWNSHIPRANGESECTIONELEVATION:

1,190FT

DRILL DEPTH: 246FT

26N

31W

11

DEPTH TO BED: 45FTUTM XUTM Y

385,029.42

4,094,958.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

1.5 MI E OF DIAMOND

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010470

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1948/05/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,184FT
<u>DRILL DEPTH:</u>	650FT	26N	31W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				386,233.43	4,094,335.45
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60	<u>REMARKS:</u>	2 MI E & 1 MI S OF DIAMOND			

LOG ID:
010517

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1948/12/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,126FT
<u>DRILL DEPTH:</u>	975FT	26N	31W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				383,081.46	4,092,481.45
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	130	<u>REMARKS:</u>	1.5 MI S OF DIAMOND			

LOG ID:
016300

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1957/05/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,070FT
<u>DRILL DEPTH:</u>	852FT	26N	31W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				379,427.46	4,094,146.44
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	51	<u>REMARKS:</u>	3 MI W, 1 MI S OF DIAMOND			

LOG ID:
009974

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1946/10/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,078FT
<u>DRILL DEPTH:</u>	165FT	26N	32W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				377,058.46	4,095,221.43
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	8	<u>REMARKS:</u>	SEE LOG #9705 - HALF WAY BETWEEN JOPLIN AND NEOSHO ON OLD HWY 71			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004274**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1936/06/27TOWNSHIPRANGESECTIONELEVATION:

965FT

DRILL DEPTH: 192FT

26N

32W

15

DEPTH TO BED: 10FTUTM XUTM Y

373,608.50

4,093,183.43

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SAMPLES MIXED, CORRELATIONS UNKNOWNS.W.L. (AFTER CASING):**LOG ID:****007681**WELL TYPE

Private Well

DRILL DATE: 1941/00/00TOWNSHIPRANGESECTIONELEVATION:

978FT

DRILL DEPTH: 900FT

26N

32W

15

DEPTH TO BED: 865FTUTM XUTM Y

373,908.50

4,092,981.43

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPEMED FROM 625-900'; NO OTHER DATAS.W.L. (AFTER CASING):**LOG ID:****009705**WELL TYPE

Private Well

DRILL DATE: 1946/11/05TOWNSHIPRANGESECTIONELEVATION:

954FT

DRILL DEPTH: 160FT

26N

32W

15

DEPTH TO BED: 20FTUTM XUTM Y

374,009.50

4,093,082.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: SEE LOG #9974 - TIPTON FORD STORES.W.L. (AFTER CASING): 18**LOG ID:****002388**WELL TYPE

Private Well

DRILL DATE: 1930/03/29TOWNSHIPRANGESECTIONELEVATION:

1,125FT

DRILL DEPTH: 575FT

26N

32W

18

DEPTH TO BED:UTM XUTM Y

369,149.52

4,092,937.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING): 200

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007326

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1941/09/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	951FT
		26N	32W	22		
<u>DRILL DEPTH:</u>	314FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	12FT				373,366.52	4,091,274.44
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	WELL FLOWS; 1.5 MI S OF TIPTON FORD			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
005470

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1939/08/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	995FT
		26N	32W	25		
<u>DRILL DEPTH:</u>	225FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				377,145.53	4,089,369.45
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	WELL ABANDONED; ARTESIAN FLOW 380-385' (BELOW TD ?)			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
013840

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955/07/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,130FT
		26N	32W	34		
<u>DRILL DEPTH:</u>	550FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				373,690.55	4,088,353.44
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	120					

LOG ID:
022343

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1963/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,126FT
		26N	32W	35		
<u>DRILL DEPTH:</u>	465FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				374,698.56	4,087,806.45
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	YIELD - 240 G/HR @ 240'			
<u>S.W.L. (AFTER CASING):</u>	125					

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008040**WELL TYPE

Private Well

DRILL DATE: 1942/09/02TOWNSHIP RANGE SECTIONELEVATION: 1,017FTDRILL DEPTH: 390FT

26N

32W

4

DEPTH TO BED: 75FTUTM XUTM Y

372,653.48 4,095,538.43

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 6.25 MI W OF DIAMONDS.W.L. (AFTER CASING): 35**LOG ID:****001987**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1915/00/00TOWNSHIP RANGE SECTIONELEVATION: 930FTDRILL DEPTH: 225FT

26N

32W

5

DEPTH TO BED: 20FTUTM XUTM Y

370,125.49 4,095,703.42

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****002909**WELL TYPE

Private Well

DRILL DATE: 1934/08/00TOWNSHIP RANGE SECTIONELEVATION: 1,000FTDRILL DEPTH: 654FT

26N

32W

5

DEPTH TO BED: 14FTUTM XUTM Y

370,925.48 4,096,107.42

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: DRILLER'S LOG ONLY - NEAR SAGINAWS.W.L. (AFTER CASING): 93**LOG ID:****019147**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION:DRILL DEPTH: 905FT

26N

32W

6

DEPTH TO BED: 15FTUTM XUTM Y

368,840.48 4,096,853.42

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 140



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004287**WELL TYPE

Private Well

DRILL DATE: 1936/05/23TOWNSHIP RANGE SECTION

26N

32W

9

ELEVATION: 950FTDRILL DEPTH: 242FTUTM X UTM YDEPTH TO BED: 35FT372,219.49 4,094,948.43
ZONE 15S.W.L. (BEFORE CASING):REMARKS: SOME MIXING OF SAMPLES BELOW 220'S.W.L. (AFTER CASING):**LOG ID:****007325**WELL TYPE

Private Well

DRILL DATE: 1941/06/30TOWNSHIP RANGE SECTION

26N

33W

1

ELEVATION: 960FTDRILL DEPTH: 250FTUTM X UTM YDEPTH TO BED: 20FT368,132.48 4,097,004.42
ZONE 15S.W.L. (BEFORE CASING):REMARKS: S OF JOPLIN @ CHILDERS FORDS.W.L. (AFTER CASING):**LOG ID:****001982**WELL TYPE

Private Well

DRILL DATE: 1915/00/00TOWNSHIP RANGE SECTION

26N

33W

10

ELEVATION: 1,041FTDRILL DEPTH: 387FTUTM X UTM YDEPTH TO BED: 15FT364,292.55 4,094,483.46
ZONE 15S.W.L. (BEFORE CASING):REMARKS: DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****004293**WELL TYPE

Private Well

DRILL DATE: 1937/06/00TOWNSHIP RANGE SECTION

26N

33W

11

ELEVATION: 968FTDRILL DEPTH: 640FTUTM X UTM YDEPTH TO BED: 10FT366,394.51 4,095,330.42
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 35

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004656**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/00/00TOWNSHIP RANGE SECTION

26N

33W

11

ELEVATION: 1,037FTDRILL DEPTH: 341FTUTM XUTM YDEPTH TO BED: 185FT

365,294.54

4,094,634.44

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CRAYCROFT LEASE, SPRING CREEK PROPERTYS.W.L. (AFTER CASING):**LOG ID:****023316**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

26N

33W

3

ELEVATION: 995FTDRILL DEPTH: 130FTUTM XUTM YDEPTH TO BED: 40FT

364,639.51

4,097,184.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****012909**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1954//TOWNSHIP RANGE SECTION

26N

33W

32

ELEVATION: 1,113FTDRILL DEPTH: 230FTUTM XUTM YDEPTH TO BED: 25FT

361,591.62

4,088,039.50

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****013223**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1954//TOWNSHIP RANGE SECTION

26N

33W

32

ELEVATION: 1,128FTDRILL DEPTH: 378FTUTM XUTM YDEPTH TO BED: 35FT

361,191.62

4,087,837.51

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 30



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012906**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,150FT
<u>DRILL DEPTH:</u>	390FT	26N	33W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				363,203.61	4,087,784.48
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	WATSON			

LOG ID:**012907**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,145FT
<u>DRILL DEPTH:</u>	380FT	26N	33W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				362,803.61	4,087,784.48
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	WATSON (RACINE - SPURGEON)			

LOG ID:**013236**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,132FT
<u>DRILL DEPTH:</u>	370FT	26N	33W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				362,003.62	4,087,784.49
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	42	<u>REMARKS:</u>				

LOG ID:**013225**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,163FT
<u>DRILL DEPTH:</u>	400FT	26N	33W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				363,408.61	4,087,738.47
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	80	<u>REMARKS:</u>				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013230**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,163FT
<u>DRILL DEPTH:</u>	362FT	26N	33W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				363,408.61	4,087,738.47
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	74					

REMARKS:**LOG ID:****013233**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,163FT
<u>DRILL DEPTH:</u>	402FT	26N	33W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				363,408.61	4,087,738.47
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	75					

REMARKS:**LOG ID:****018493**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,116FT
<u>DRILL DEPTH:</u>		26N	33W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					360,550.58	4,097,179.52
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: OLD WELL (#18493) DEEPENED (also see log #20110)**LOG ID:****020110**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,116FT
<u>DRILL DEPTH:</u>	604FT	26N	33W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	510FT				360,550.58	4,097,179.52
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: OLD WELL (see also log#18493) DEEPENED 510-604'; YIELD - 500-800 G/HOUR



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027201**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,082FT

DRILL DEPTH:

700FT

26N

33W

6

DEPTH TO BED:

35FT

UTM XUTM Y

358,995.62

4,096,230.55

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

Missouri Highway Dept Rest Center - I-44 W OF JOPLIN

S.W.L. (AFTER CASING):

173

LOG ID:**028305**WELL TYPE

Community Public Well

DRILL DATE:

1979/10/00

TOWNSHIPRANGESECTIONELEVATION:

1,090FT

DRILL DEPTH:

1,685FT

26N

33W

7

DEPTH TO BED:

295FT

UTM XUTM Y

359,061.62

4,095,278.55

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA; RESIDUUM TO 295'

S.W.L. (AFTER CASING):**LOG ID:****022260**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,143FT

DRILL DEPTH:

856FT

26N

33W

8

DEPTH TO BED:

600FT

UTM XUTM Y

361,587.59

4,095,082.51

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

NO SAMPLES 0-600'

S.W.L. (AFTER CASING):

187

LOG ID:**025806**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,135FT

DRILL DEPTH:

464FT

26N

33W

9

DEPTH TO BED:

45FT

UTM XUTM Y

362,204.58

4,095,424.50

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028764**WELL TYPE

Community Public Well

DRILL DATE: 1989/02/10TOWNSHIPRANGESECTIONELEVATION:

1,070FT

DRILL DEPTH: 1,210FT

26N

34W

13

DEPTH TO BED:UTM XUTM Y

358,424.63

4,093,785.56

ZONE 15

S.W.L. (BEFORE CASING): 90REMARKS:S.W.L. (AFTER CASING): FT**LOG ID:****002393**WELL TYPE

Private Well

DRILL DATE: 1928/04/TOWNSHIPRANGESECTIONELEVATION:

1,200FT

DRILL DEPTH: 1,000FT

27N

29W

27

DEPTH TO BED: 270FTUTM XUTM Y

403,109.41

4,098,622.20

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: TOP SAMPLE 35' ON DRILLER'S LOG, 270' & 350' ON TWO SAMPLE LOGSS.W.L. (AFTER CASING):**LOG ID:****009936**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1946/12/00TOWNSHIPRANGESECTIONELEVATION:

1,222FT

DRILL DEPTH: 195FT

27N

29W

29

DEPTH TO BED: 25FTUTM XUTM Y

400,197.41

4,097,840.25

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: YIELD - 1/6 GPM; 3 MI S OF SARCOXIES.W.L. (AFTER CASING):**LOG ID:****012700**WELL TYPE

Private Well

DRILL DATE: 1954/02/08TOWNSHIPRANGESECTIONELEVATION:

1,215FT

DRILL DEPTH: 230FT

27N

29W

35

DEPTH TO BED: 100FTUTM XUTM Y

405,560.44

4,096,436.17

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI NE OF WENTWORTHS.W.L. (AFTER CASING): 56



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004130**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/03/00TOWNSHIPRANGESECTIONELEVATION:

1,181FT

DRILL DEPTH: 171FT

27N

30W

23

DEPTH TO BED: 35FTUTM XUTM Y

395,885.37

4,099,753.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****001604**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1908/08/06TOWNSHIPRANGESECTIONELEVATION:

1,158FT

DRILL DEPTH: 198FT

27N

31W

21

DEPTH TO BED: 40FTUTM XUTM Y

382,368.36

4,100,814.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEOSHO - "CAN'T LOCATE"S.W.L. (AFTER CASING):**LOG ID:****001605**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,158FT

DRILL DEPTH: 179FT

27N

31W

21

DEPTH TO BED: 146FTUTM XUTM Y

382,368.36

4,100,814.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****003399**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1935/07/00TOWNSHIPRANGESECTIONELEVATION:

1,155FT

DRILL DEPTH: 185FT

27N

31W

21

DEPTH TO BED: 55FTUTM XUTM Y

382,068.36

4,101,118.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: MANY MISSING SAMPLESS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025586

WELL TYPE
Private Well

DRILL DATE: 1967/11/08 TOWNSHIP 27N RANGE 31W SECTION 30 ELEVATION: 1,130FT
DRILL DEPTH: 165FT UTM X 378,308.39 UTM Y 4,100,078.41
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3 MI N AND 3 MI W OF DIAMOND
S.W.L. (AFTER CASING): 50

LOG ID:
004717

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/04/15 TOWNSHIP 27N RANGE 31W SECTION 34 ELEVATION: 1,127FT
DRILL DEPTH: 225FT UTM X 384,540.38 UTM Y 4,098,270.43
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 ED. DOURGE
S.W.L. (AFTER CASING):

LOG ID:
005817

WELL TYPE
Private Well

DRILL DATE: 1939/11/05 TOWNSHIP 27N RANGE 31W SECTION 36 ELEVATION: 1,151FT
DRILL DEPTH: 674FT UTM X 387,555.39 UTM Y 4,096,874.44
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3 MI E, 1 MI N OF DIAMOND
S.W.L. (AFTER CASING): 59

LOG ID:
002555

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 27N RANGE 32W SECTION 24 ELEVATION: 1,090FT
DRILL DEPTH: 168FT UTM X 376,702.39 UTM Y 4,100,229.41
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002585**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,122FT

DRILL DEPTH:

187FT

27N

32W

24

UTM XUTM YDEPTH TO BED:

35FT

377,402.38

4,100,930.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

"BURLINGTON" ON DRILLERS LOG

S.W.L. (AFTER CASING):**LOG ID:****007632**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1942//

TOWNSHIPRANGESECTIONELEVATION:

1,116FT

DRILL DEPTH:

175FT

27N

32W

24

UTM XUTM YDEPTH TO BED:

40FT

376,902.38

4,100,629.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

#46 HENCKLE - NEAR DUENWEG

S.W.L. (AFTER CASING):**LOG ID:****028969**WELL TYPE

Community Public Well

DRILL DATE:

2003/07/

TOWNSHIPRANGESECTIONELEVATION:

1,165FT

DRILL DEPTH:

1,550FT

27N

32W

27

UTM XUTM YDEPTH TO BED:

90FT

374,798.42

4,099,118.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

280

LOG ID:**026546**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,065FT

DRILL DEPTH:

200FT

27N

32W

30

UTM XUTM YDEPTH TO BED:

40FT

369,165.42

4,100,081.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

"NEAR JOPLIN" - NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023312

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,050FT
27N 32W 32
DRILL DEPTH: 55FT UTM X UTM Y
DEPTH TO BED: 10FT 371,302.45 4,098,014.41
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
000192

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,129FT
27N 32W 34
DRILL DEPTH: 655FT UTM X UTM Y
DEPTH TO BED: 32FT 374,021.44 4,097,822.42
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO FORMATIONS IDENTIFIED - DRILLER'S LOG ONLY, WS PAPER
S.W.L. (AFTER CASING): #195, P. 136

LOG ID:
023314

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 960FT
27N 33W 21
DRILL DEPTH: 235FT UTM X UTM Y
DEPTH TO BED: 115FT 362,825.47 4,100,826.46
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
002999

WELL TYPE
Private Well

DRILL DATE: 1934/10/00 TOWNSHIP RANGE SECTION ELEVATION: 965FT
27N 33W 22
DRILL DEPTH: 816FT UTM X UTM Y
DEPTH TO BED: 5FT 365,200.43 4,101,180.42
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 52



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008928**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,056FT

DRILL DEPTH:

65FT

27N

33W

23

DEPTH TO BED:UTM XUTM Y

366,623.43

4,100,523.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****009346**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1940/10/01

TOWNSHIPRANGESECTIONELEVATION:

1,035FT

DRILL DEPTH:

44FT

27N

33W

24

DEPTH TO BED:

25FT

UTM XUTM Y

368,415.40

4,101,898.39

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****013290**WELL TYPE

Private Well

DRILL DATE:

1955/01/13

TOWNSHIPRANGESECTIONELEVATION:

961FT

DRILL DEPTH:

205FT

27N

33W

25

DEPTH TO BED:

15FT

UTM XUTM Y

367,552.44

4,099,491.40

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 2 MI S OF JOPLINS.W.L. (AFTER CASING):

8

LOG ID:**008926**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1935/11/09

TOWNSHIPRANGESECTIONELEVATION:

1,014FT

DRILL DEPTH:

60FT

27N

33W

26

DEPTH TO BED:

15FT

UTM XUTM Y

365,744.45

4,099,734.42

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SAMPLES FROM CAVED SHAFT AND SURFACES.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
002690

WELL TYPE
Private Well

DRILL DATE: 1933/06/00

TOWNSHIP RANGE SECTION
27N 33W 27

ELEVATION: 903FT

DRILL DEPTH: 310FT

UTM X UTM Y
364,154.47 4,099,982.44
ZONE 15

DEPTH TO BED: 150FT

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
002846

WELL TYPE
Community Public Well

DRILL DATE: 1934/03/00

TOWNSHIP RANGE SECTION
27N 33W 27

ELEVATION: 938FT

DRILL DEPTH: 926FT

UTM X UTM Y
364,554.48 4,098,978.44
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING): FT

REMARKS: 3- DIFFERENT SAMPLE LOGS - JOPLIN PARK BOARD

S.W.L. (AFTER CASING): 19

LOG ID:
004277

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION
27N 33W 27

ELEVATION: 889FT

DRILL DEPTH: 320FT

UTM X UTM Y
364,254.47 4,099,882.44
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: NEAR LOW-WATER BRIDGE

S.W.L. (AFTER CASING):

LOG ID:
008402

WELL TYPE
Private Well

DRILL DATE: 1943/09/00

TOWNSHIP RANGE SECTION
27N 33W 27

ELEVATION: 1,026FT

DRILL DEPTH: 449FT

UTM X UTM Y
364,854.46 4,100,083.43
ZONE 15

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING): FT

REMARKS: OLD WELL DEEPENED 340-449'

S.W.L. (AFTER CASING): 1-2



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023326

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 919FT
27N 33W 27
DRILL DEPTH: 45FT UTM X UTM Y
DEPTH TO BED: 364,454.47 4,099,681.44
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "CAN'T LOCATE"
S.W.L. (AFTER CASING):

LOG ID:
008960

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 869FT
27N 33W 29
DRILL DEPTH: 185FT UTM X UTM Y
DEPTH TO BED: 20FT 361,250.51 4,099,788.49
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: REUZENHAUSEN LEASE
S.W.L. (AFTER CASING):

LOG ID:
003103

WELL TYPE
Private Well

DRILL DATE: 1934/10/00 TOWNSHIP RANGE SECTION ELEVATION: 910FT
27N 33W 33
DRILL DEPTH: 715FT UTM X UTM Y
DEPTH TO BED: 275FT 362,471.52 4,098,632.48
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA; NO SAMPLES 0-275'
S.W.L. (AFTER CASING):

LOG ID:
018062

WELL TYPE
Noncommunity Public Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:
27N 33W 33
DRILL DEPTH: 216FT UTM X UTM Y
DEPTH TO BED: 362,471.53 4,097,836.48
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 75



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023311**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,100FT

DRILL DEPTH:

355FT

27N

33W

33

UTM XUTM YDEPTH TO BED:

25FT

363,271.53

4,097,636.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):**LOG ID:****002540**WELL TYPE

Private Well

DRILL DATE:

1932/02/00

TOWNSHIPRANGESECTIONELEVATION:

925FT

DRILL DEPTH:

250FT

27N

33W

34

UTM XUTM YDEPTH TO BED:

100FT

364,869.51

4,097,384.44

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

"FLOWS" - 3 SAMPLE LOGS

S.W.L. (AFTER CASING):**LOG ID:****002558**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1932/00/00

TOWNSHIPRANGESECTIONELEVATION:

915FT

DRILL DEPTH:

710FT

27N

33W

34

UTM XUTM YDEPTH TO BED:

364,963.49

4,098,265.44

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

FLOWS - 2 SAMPLE LOGS

S.W.L. (AFTER CASING):**LOG ID:****016921**WELL TYPE

Private Well

DRILL DATE:

1957/12/00

TOWNSHIPRANGESECTIONELEVATION:

942FT

DRILL DEPTH:

400FT

27N

33W

34

UTM XUTM YDEPTH TO BED:

300FT

364,870.50

4,097,784.44

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO SAMPLES TO 300', NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
011240

WELL TYPE
Private Well

DRILL DATE: 1947/10/00

TOWNSHIP RANGE SECTION

ELEVATION: 910FT

DRILL DEPTH: 200FT

27N 33W 35

UTM X UTM Y
365,483.48 4,098,539.43
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
008308

WELL TYPE
Private Well

DRILL DATE: 1934/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 1,010FT

DRILL DEPTH: 1,140FT

27N 34W 24

UTM X UTM Y
358,374.51 4,101,616.53
ZONE 15

DEPTH TO BED: 125FT

S.W.L. (BEFORE CASING): FT

REMARKS: WILDWOOD

S.W.L. (AFTER CASING): 257

NEWTON